









Established in 1981, Waterco pioneers reliable solutions for healthy, safe water environments. We design and manufacture innovative filtration and sanitisation products across residential, commercial and industrial applications in over 40 countries.

### **OFFICES - AUSTRALIA**

NSW - Sydney (Head Office) Tel: +61 2 9898 8600

QLD - Brisbane

Tel: +61 7 3299 9900

**VIC/TAS - Melbourne** Tel: +61 3 9764 1211

WA - Perth

Tel: +61 8 9273 1900

**SA/NT - Adelaide** Tel: +61 8 8244 6000

**ACT Distribution** Tel: +61 2 6280 6476







ZZB1971 06/24

#### **OFFICES - OVERSEAS**

Waterco (Europe) Limited

Sittingbourne, Kent. UK Tel: +44 (0) 1795 521 733

Waterco (USA) Inc

Augusta, Georgia, USA Tel: +1 706 793 7291

Waterco Canada

Boucherville, Quebec, Canada Tel: +1 450 748 1421

Waterco (NZ) Limited

Auckland, New Zealand Tel: +64 9 525 7570

Waterco (C) Limited Guangzhou, China

Tel: +86 20 3222 2180

PT Waterco Indonesia

Jakarta, Indonesia Tel: +62 21 4585 1481

Waterco Singapore Intl Pte Ltd

MAPEX Building, Singapore Tel: +65 6344 2378


Waterco (Far East) Sdn Bhd

Selangor, Malaysia Tel: +60 3 6145 6000

Waterco Vietnam Company Limited

Ho Chi Minh City, Vietnam Tel: +84 28 3622 7780

www.waterco.com







Keep pool warm24 hours a day



SAVE TIME, WATER AND ENERGY

## **Energy efficient heating**

Owning a swimming pool is a significant financial commitment. To optimize its usage, it's important to maintain a comfortable swimming temperature for the maximum number of hours daily and throughout the year.

A pool heat pump economically keep your pool warm 24 hours a day.

The redesigned Electroheat MKV heat pump not only sporting a new pewter color but a special evaporator coating that ensures high heat transfer and corrosion resistance for pool and spa owners living in humid or coastal environments.





# Robust, weatherproof cabinet -

ensuring long-lasting performance as well as contributing to noise reduction

Large diameter fan increased heat extraction for faster and more efficient heating





Intuitive control panel – features clear buttons and an easy-to-read display

Hydrophilic Blue fin evaporator technology improved corrosion resistance and enhanced heat transfer efficiency





**SMART CONTROLS** for temperature

for temperature management and self diagnosis



INBUILT SAFETY
DEVICES for water
flow, refrigerant level
and compressor
startup delay



POWERFUL HEAT TRANSFER through the coiled heat exchanger maximising water contact



**DUAL COIL TITANIUM** Heat
Exchanger is

highly resistant to ozone, iodine, baquacil, salt and chlorinated water



HIGH QUALITY BRANDED SCROLL COMPRESSOR

for improved efficiency and high performance



LOW NOISE A combination of sound-absorbing materials and optimised fan and housing design

minimises noise



R410A REFRIGERANT, ozone friendly and maximises performance



# EXTRA LARGE EVAPORATOR AREA

increases the heat pump's ability to capture heat from the surrounding air, allowing it to function more efficiently.



Electroheat MKV pool heat pumps feature a compact design and horizontal venting, making them an ideal for efficient heating.

• Available in 9kW, 12kW, 14kW, 19kW & 22kW heating capacities

The Electroheat heat pump range are an ideal solution for heating:



Swimming pools to extend the season



Swimming pools for year round enjoyment



Plunge pools



Swim spas and spas



Take control of your pool climate from anywhere with Wi-Fi enabled Waterco Electroheat pool heat pumps. Simply connect your heat pump to your home Wi-Fi and download the free Waterco Connect app. This user-friendly app allows you to remotely monitor and adjust your pool temperature, ensuring a comfortable swim whenever you desire.



# Swim in Extended Comfort



Compared to gas and electric heaters, the Electroheat MKV pool heat pump range use just a fraction of the energy to generate the same amount of heat and unlike solar heating; there is no reliance on the sun as the latent heat in the air is used.

The Electroheat MKV heat pump is energy-efficient and environmentally friendly, capable of converting 1 kW of electricity into 6 kW of heat energy.

# Energy efficient way to heat your pool\_



Performance Specifications								
	Electroheat MKV							
Nominal Power Output (kW)*	9	12	14	19	22			
Nominal Heating Capacity BTU*	30,700	41,000	47,700	64,000	75,000			
Product Code	27809506	27812306	27815206	27819206	27823206			
Power Output (kW): Air 26C / Water 26C / RH63%	8.9	11.7	13.5	18.5	21.8			
СОР	5.9	6.1	6.1	6.3	6.2			
Power Output (kW): Air 15C / Water 24C / RH 70%	6.8	9.2	9.4	17.0	20.0			
СОР	4.8	4.8	4.3	5.8	5.7			
Supply Voltage (VAC)	240	240	240	240	240			
Supply Voltage Phase	Single Phase							
Power Consumption (kW/h)	1.5	1.9	2.2	2.9	3.5			
Full Load Amps	9	12	12	22	30			
Minimum Breaker or Fuse (AMP)	16	20	20	30	40			
Electrical Connection	10A plug	10A plug 15A plug Terminals						
Min. / Max. Ambient Air Temperature (C)	10 / 40							
Min. / Max. water inlet temp (C)	18 / 40							
Water Connections (mm)	40mm							
Bypass	External 3 x 2 way							
Evaporator area m²	0.59	0.59	1.18	1.77	1.77			
Min. / Max. Water Flow Rate LPM	120 - 230							
Unit Dry Weight (kg)	51 55 79							
Dimensions W x L x H (mm)	1269 x 361 x 717							
Refrigerant	R410A							
Heat Exchanger Max. pressure	3.5 bar / 350 kPa							

Related products:

Electroheat Pro range - Pool heat pumps for commercial applications. Electroheat ECO V range - Pool Heat pumps with inverter technology.



Warranty - Residential 25 years - titanium heat exchanger tube against corrosion (eff 1 Aug 22) 10 years - heat exchanger 3 years - compressor 2 years - all other components 1 year - labour Warranty - Commercial - 1 year Conditions apply, see the Waterco Limited warranty set out in the Waterco Warranty Booklet or view it at www. waterco.com

Sizing Chart to Heat Your Pool to 28°C FROM SEPT TO APRIL									
		Temperate Location *		Warm Location **					
		Up to 10 hrs / Day Run time		Up to 10 hrs / Day Run time					
Pool Size (m)	Litres	with Pool Cover	No Pool Cover	with Pool Cover	No Pool Cover				
3 x 6	Up to 23000	9kW	14kW	9kW	9kW				
3 x 7	Up to 27000	9kW	14kW	9kW	9kW				
4 x 7	Up to 35000	12kW	22KW	9kW	14kW				
4.5 x 8.5	Up to 50000	14kW	31kW	9kW	19kW				
5 x 10	Up to 65000	19kW	22kW x 2	12kW	22kW				
5.5 x 11	Up to 80000	22kW	22kW x 2	14kW	14kW x 2				
6 x 12	Up to 100000	14kW x 2	22kW x 3	19kW	19kW x 2				

Note: Size and performance are influenced by ambient temperature, humidity, use of a pool cover, night time temperature, pool location, wind factor, water features and if the unit is switched off over night. The recommended sizing in the table above is based on operating the unit up to 10 daytime hours with the pool subjected to normal suburban wind. No allowance has been made for the cooling effects of water features, negative edges or high wind areas. Therefore, any under sizing of the heater for your pool heating requirements is not the responsibility of Waterco.

\* Temperate Location (Sydney):- Where minimum average daytime temperatures between September to April are not less than 18°C.

\*\* Warm Location (Brisbane): - Where minimum average daytime temperatures between September to April are not less than 24°C

\*\*\* Pool heating between May and August will require a larger heat pump. Consult www.watercocalculator.com or contact your local Waterco office.

### Clearance

No obstruction to

front 2.5m minimum

# minimum 30cm Clearance to side minimum 60cm

Clearance to rear

## (<del>(</del> (1)

### **Dimensions**

